

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 7 25 FUNSTON ROAD KANSAS CITY, KANSAS 66115

RECEIVED

All redactions in this document to remove non-responsive information

FFB 17 1994

FEB | 6 | 1994

RCAS SECTION

**MEMORANDUM** 

SUBJECT: Transmittal of Inspection Report - RCRA

FROM:

John W. Bosky W 26 My

Chief, RCRA Monitoring Section, EMCM/ENSV

TO:

Thomas F. Hogan

Chief, IRMS/PSBR/WSTM

This memorandum transmits the following RCRA joint compliance inspection report performed by the RCRA Monitoring Section, Environmental Monitoring and Compliance Branch, Environmental Services Division. The inspection was a Level B MMI. The primary media was RCRA and the secondary media was Title III.

Potential Areas Facility EPA ID Number Activity No. of Non-Compliance ANF52 Hydrocarbon KSD007246846 Training Incompatibles Recyclers, Containers Inc. Wichita, KS Inspections Manifests

Attachments





#### REPORT OF JOINT RCRA OVERVIEW INSPECTION

AΤ

HYDROCARBON RECYCLERS, INCORPORATED
USPCI
2549 North New York
Wichita, Kansas 67219

EPA ID Number: KSD007246846

ON

February 8, 1994

BY

U.S. ENVIRONMENTAL PROTECTION AGENCY
Region VII
Environmental Services Division

#### INTRODUCTION

At the request of the Waste Management Division (WSTM), a joint RCRA overview inspection (JOI) was performed at USPCI - Hydrocarbon Recyclers, Inc. located in Wichita, KS, on February 8, 1994. This inspection was performed with KDHE as a means of evaluating the effectiveness, reliability and completeness of the state's inspection procedures in the administration and enforcement of their hazardous waste management program established pursuant to Section 3006 of the Resource Conservation and Recovery Act (RCRA), as amended. This report and attachments present the results of the inspection.

#### **PARTICIPANTS**

USPCI, Hydrocarbon Recyclers, Inc. (HRI):
Stephen Keiter, Facility Manager
Ronald Robertson, Facility Safety and Compliance Officer
Beth Justice, Lab Manager
Cary Mans, Production Manager

Kansas Department of Health and Environment (KDHE): Gil Perez, Environmental Technician

U.S. Environmental Protection Agency (EPA):
Dedriel L. Newsome, Environmental Engineer

#### FACILITY DESCRIPTION

HRI collects hazardous waste from various generators. The waste is then either brokered, fuel blended or shipped off-site for incineration. The waste streams generated by HRI include

chlorinated solvents, tetrachloroethylene/debris, solvents/paints, oxidizers, corrosives, wastewater and others.

HRI submitted a revised Part A Hazardous Waste Permit Application on 12/20/93 as a treater and storer of hazardous waste. Their Part B is currently being reviewed.

# INSPECTION FINDINGS AND CONCLUSIONS

- 1. The state inspector noted the following observations and apparent regulatory violations (More detail information on these violations may be obtained from the inspectors' report):
- a. Failure to separate incompatible drums of hazardous waste (acids and bases).
  - b. Failure to properly label a drum of hazardous waste.
  - c. Failure to conduct adequate annual refresher training.
  - d. Failure to properly complete a manifest.
- 2. I noted the following observation and apparent regulatory violation:
- 1. I reviewed two facility inspection reports out of about 20 that did not note the date and nature of repairs that were conducted when a problem was observed. This is required by 265.15(d). The two inspection reports that noted problems for which no repair information was included were dated 11/23/93 and 8/23/93.

### DISCUSSION OF INSPECTION

The following discussion and comments are provided as the basis for evaluating the performance of the state inspector during the inspection.



A Joint Oversight Inspection Checklist was completed during this inspect (see attachment 2):

Chief, RCRA Monitoring Section Date: 9/19/4

Environmental Engineer Date: 246/94
Activity No.: ANF52

Attachments

1. NOV

2. JOI Checklist (4 pages)

5



# NOTICE COMPLIANCE/NON-COMPLIANCE

## KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT Division of Environment Waste Management Program

1885	
Hazardous Waste: Complaint( ) LDF( ) TSF( ) GEN( ) KG( Solid Waste: Complaint( ) SLF( ) TRF( ) ILF( ) CDL( ) HHW( )	) SQ() TRA() UOM() UOB() NOT A GEN() OBS() UOS() WTT() WTP() WTM() YWC() MED()
TO: HYDRO CARBON RECYCLERS ITNO	2/ <u>8/94</u>
2549 NORTH NEW YORK WICHI	
City  K S D 0 0 7 2 4 6 8 4 6  EPA Identification No.	Solid Waste Permit No.
This inspection was conducted to determine compliance with the state and fed	eral solid and hazardous waste statutes and regulations.
Violations As Follows	☐ No Violations Identified
KAR 28-31-4(g)(1) (pic) DAS Label	ad Bases & Acids Stored next to each other
(RAR 28-31-4 (b) (PIC) One DM	of Shredder KF lateled both hazardres & now -h
KAR 28-31-4(g)(4) Annual (s	efresher training does not alequately
KAR 28-31-4(K) inspections KAR 28-31-4(d) Manifes	
40 CFR 262 appendix 03282	2 W/O being initialled & information place
Uther Comments/Concerns:	Discrepancy Area of Manifest.  Debris becomes "non hazardons "explain"
Many incoming Manifest display	emergency (esp. no. ac a local number
This notice is provided to call immediate attention to those areas of non-	Your response must be submitted to: must be 24 hr ave
compliance. This notice does not constitute a compliance order issued by KDHE and may not be a complete listing of all violations which may	Kansas Department of Health and Environment
be identified as a result of this inspection. Your facility must submit	Bureau of District Operation
in writing within days of receipt of this notice a description of all corrective actions taken and/or a schedule for	Waste Management Programs 1919 Amidon, Suite 130
completion of necessary corrective actions to be taken. Any corrective actions taken by your facility will be considered in subsequent enforcement follow-up.	Wichita, Kansas 67203-2118
If you have any questions concerning this Notice or wish to discuss your response, you may call me at (316) 838-1071 or Bureau of Waste	I, the undersigned hereby acknow- ledge that I have received and read this Notice.
Management in the Topeka Office at (913) 296-1604.	Printed Name: Stephen M. Keiter
This Notice was prepared by	Signature: Stephen on Keiter
Gil PEREZ, BDO, Wich te	Title: Facility Manager
Date 2/8/94	Date: 2 / 9 / 94